Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2558	photoconductor adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:37
L2	30268	temperature near2 compensation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:38
L3	50662	adjust$4 near2 (duration current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:38
L4	2793	3 with (led laser (light adj emitting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:38
L5	1	1 and 2 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:39
L6	7	2 and 4 and photoconductor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:09
L7	1801	discharge near2 depth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:45
L8	1	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:45
L9	15	2 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:45
L10	8	7 and photoconductor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:49

L11	1331	347/236-237,246-247.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:59
L12	5477	399/44,47-51,94-96,127-128.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:59
L13	8167277	11 "12"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:59
L14	6804	11 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 14:59
L15	1	7 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:06
L16	8	("4949105" | "4999673" | "5400120" | "5566372" | "5572330" | "5737665" | "5808651" | "5887223").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/23 15:03
L17	41	2 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:06
L18	1	"10/698325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:06
L19	124	1 and correction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:08
L20	1	18 and correction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:07

L21	1	1 and (correction near2 therm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:08
L22	11	(1 photoconductor) same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:20
L23	15	(1 photoconductor) same 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:29
L24	2	"6081677".pn. and (intensity current duration exposure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:29
L25	8	("4949105" | "4999673" | "5400120" | "5566372" | "5572330" | "5737665" | "5808651" | "5887223").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/23 15:24
L26	2	"6567171".pn. and (intensity current duration exposure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:28
L27	0	"6567171".pn. and (discharge depth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:29
L28	7817	charge with discharge with potential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:29
L29	121	(1 photoconductor) same 28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:29
L30	113	29 and (intensity current duration exposure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/23 15:40

| L31 | 4 | 29 and (2 3 4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/23 15:30 |
| L32 | 66 | 30 and temperature | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/07/23 15:40 |